

AARONSON, EMANUEL & FLORENCE TS  
RDS ~~CONFIDENTIAL~~

NEW YORK  
NY-761-S

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-28-2020 BY:

Authorized: (AG) 4-28-52

FO notified: 5-1-52

Installed: 5-15-52

#100-47736

b6 -1

Disc. 12-12-52, 5:30

b7C -1

Address: 127 Kingston Ave., Brooklyn, N.Y.

Telephone: President 3-9040, 3-8522, 3-9816

Location of Plant: Sutech

COMMENT: Re Dr. James Edward Jackson, Jr., WAS, Fug.,  
IO 2437, IS-c 9/8/83

EBR/agt

CLASSIFIED BY: *SP1 MAC/ltc*

DECLASSIFY ON:

GADR

~~CONFIDENTIAL~~

18-cv-01868-8923



~~SECRET~~

b1 -1  
b3 -1  
b6 -2  
b7C -2  
b7E -2, -3

~~SECRET~~

18-cv-01868-8925

(S)



b1 -1

b3 -1

b6 -2

b7C -2

b7E -2

~~SECRET~~

18-cv-01868-8926

(5)



b1 -1

b3 -1

b6 -1, -2

b7C -1, -2

b7E -2



b1 -1

b3 -1

b6 -2


b7C -2

b7E -2, -3

18-cv-01868-8928

~~SECRET~~

(S)



b1 -1

b3 -1

b6 -2

b7C -2

b7E -2

18-cv-01868-8929

~~SECRET~~

(S)

~~SECRET~~

b1 -1  
b3 -1  
b6 -1, -2  
b7C -1, -2  
b7E -2

EXEMPTED FROM AUTOMATIC  
DECLASSIFICATION

AUTHORITY DERIVED FROM:

[REDACTED] BI AUTOMATIC DECLASSIFICATION GUIDE

[REDACTED] EMPTION CODE: 25X(1)

[REDACTED] DATE 11-12-2020

BY: [REDACTED]

~~SECRET~~

18-cv-01868-8930

(S)




~~SECRET~~

b1 -1

b3 -1

b7E -2

~~SECRET~~



b1 -1

b3 -1

b7E -2

18-cv-01868-8932

~~SECRET~~

(S)

~~SECRET~~

[REDACTED]

EXEMPTED FROM AUTOMATIC  
DECLASSIFICATION

AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

EXEMPTION CODE: 25X(1)

11-12-2020

BY: [REDACTED]

b1 -1

b3 -1

b6 -1, -2

b7C -1, -2

b7E -2

18-cv-01868-8933

[REDACTED]

~~SECRET~~

[REDACTED] (S)

~~SECRET~~

b1 -1


b3 -1

b7E -2

~~SECRET~~

18-cv-01868-8934 (S)

~~SECRET~~



b1 -1

b3 -1

(S) b7E -2

~~SECRET~~

18-cv-01868-8935

[REDACTED] b3 -1

b6 -1, -2

b7C -1, -2

b7E -2

[REDACTED] ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 11-12-2020 BY [REDACTED]



b3 -1

b6 -1, -2

b7C -1, -2

b7E -2, -3



18-cv-01868-8937

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 11-12-2020 BY



ABT, JESSICA SMITH

TS

NEW YORK

NYT-311

Authorized: 4-20-45 by the AG  
Installed: 4-22-45, 3:00 pm  
Discontinued: 11/5/46 11 am

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 12-28-2020 BY [REDACTED]

Address: 114 East 32nd Street, New York City

b6 -1

Telephone: Murray Hill 3-3855, 3-3856, 3857  
(Listed name of Soviet Russia Today)

b7C -1

Location of plant: .Sutec

MAINTAINS CONTACT WITH SUSPECTED SOVIET ESPIONAGE AGENTS.

Philip Jacob Jaffe, was, et al, Espionage X 18-cv-01868-8938

S. R. T. Publications, Inc. 100-236194-85



ABT, JOHN J.

TS

NEW YORK  
NYT-203

Authorized: 4-13-44 by the A.G.

Installed: 4-28-44, 11 am

Discontinued: 7-8-46 10 A.M.

Address: 444 Central Park West., NYC

Telephone: Academy 2-4611

Location of plant: Sutee

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 10-28-2020 BY [REDACTED]

b6 -1

b7C -1

SUSPECTED SOVIET ESPIONAGE AGENTS CONTACT.

18-cv-01868-8939

100-203581

100-184755

*Lack of proximity.*

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 10-28-2020 BY

b6 -1  
b7C -1

18-cv-01868-8940

~~SECRET~~

b1 -1

b3 -1

b6 -1

b7C -1

b7E -2

EXEMPTED FROM AUTOMATIC

DECLASSIFICATION

AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

EXEMPTION CODE: 25X(1)

DATE 10-28-2020 BY 

18-cv-01868-8941

~~SECRET~~

(S)

~~SECRET~~  
b1 -1

b3 -1


b7E -2


~~SECRET~~

18-cv-01868-8942 (S)

b6 -1, -2  
b7C -1, -2  
b7E -2

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 11-12-2020 BY [REDACTED]

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 11-12-2020 BY 



b6 -1, -2  
b7C -1, -2  
b7E -2, -3

18-cv-01868-8944

b6 -1

b7C -1

b7E -2

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 11-12-2020 BY

18-cv-01868-8945

~~CONFIDENTIAL~~



b6 -1  
b7C -1  
b7E -2


~~9/9/83~~

~~CLASSIFIED BY:~~

~~DECLASSIFY ON:~~

~~(U)~~

~~OADR~~

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-28-2020 BY 

~~CONFIDENTIAL~~

18-cv-01868-8946



~~CONFIDENTIAL~~

b6 -1

b7C -1

b7E -2

~~C~~ (U)

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-28-2020 BY:

18-cv-01868-8947

~~CONFIDENTIAL~~

ACADEMY HALL.

IMS

NEW YORK  
NY 1898-S\*

~~CONFIDENTIAL~~

Authorized: 12-26-56 (CT)  
FO Notified: 12-26-56 (teletype)  
Installed: 12-28-56; 5:20 pm Disc: 12-28-56;  
11:45 pm

Address: Rm 16D, Academy Hall, NYC

Plant: Rm 16G, Academy Hall, NYC

b6 -1

b7C -1

(U)

Comment: Meetings of various CP organizations.

WCT/agt RE: CP, USA, DISTRICT NO 2, NY FIELD  
DIVISION, IS - C. 100-3-4

18-cv-01868-8948

CLASSIFIED BY: SP7MAC/stc  
DECLASSIFY ON: OADR 9/9/23

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 10-28-2020

BY

~~CONFIDENTIAL~~

NY 28 2/2/57 just.

NYlet 1-8-57 Meeting of 12-28-56 was. "NY County CP Committee" Room 16C, Academy Hall, NYC.

NYairtel 2-19-57 NY 1962-S\* installed 2-18-57 4:30 pm and discontinued 2-18-57; 10:50 pm

"Manhattan County youth Section" ~~CONFIDENTIAL~~

NYairtel 2-22-57 NY 1966-S\* installed 6:00 pm 2-21-57 & discontinued 12:15 am; 2-22-57 "East Midtown Club"

NYairtel 3-21-57 NY 1898-S\* installed 3:00 pm 3-20-57 & disc: 11:55 pm 3-20-57 and all evidence of wiring removed. "New York County CP Committee"

NYairtel 5-16-57 installed 5-15-57; 4:30 pm Discontinued 5-16-57; 11:15 am NY 1898-S\* in Rm 14-B2, Academy Hall, 853 Broadway, NYC. Monitored Room 14-E2. "NY County Committee" 18-cv-01868-8949

~~C~~ (U)

~~CONFIDENTIAL~~

MANUSCRIPT READERS

MS

NEW YORK

~~CONFIDENTIAL~~

NY 1898-S\*

Authorized: 12-6-56 (CT)  
FO Notified: 12-6-56 (teletype)  
Installed: 12-12-56; 5:30 pm

Disc: 12-12-56;  
11:15 pm

Address: Rm 17B, Academy Hall, 853 Broadway

Plant: Rm 18-B, Academy Hall

(U) ~~C~~

Comment: Meeting scheduled for 12-14-56

b6 -1

CCL/agt RE: CP, USA, DISTRICT 2, IS - C b7C -1

9/9/83  
CLASSIFIED BY: ~~SP-1/acc/stc~~

DECLASSIFY ON:

OADR

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-28-2020 BY

~~CONFIDENTIAL~~ 18-cv-01868-8950

Memo Belmont to Boardman 12-6-56 Trespass will  
be necessary to effect installation.  
NYairtel 12-13-56 All evidence of installation  
has been removed.

~~C~~ (U)

18-cv-01868-8951

~~CONFIDENTIAL~~

NYairtel 5-27-57 NY 1898-S\* activated 5-24-57;  
11 am; Rm 16-C, Academy Hall, 853 Broadway,  
Plant Rm 16-D, same address Discontinued: 5-25-57  
12:15 am "East Side Boys Club" All traces of  
installation removed & security precautions  
observed.

~~C~~ (U)

18-cv-01868-8952

~~CONFIDENTIAL~~

ACADEMY HALL

MS

~~CONFIDENTIAL~~

NEW YORK

NYairtel 7-30-57 NY 2076-S\* installed in Rm 17J,  
853 Broadway, NYC cover meeting of "FURNITURE  
REGION" NY 2076-S\* was removed 9:10 pm; 7-29-57  
Permanent wiring left intact. Installed 7-29-57;  
3:30 pm

NYairtel 9-5-57 NY 2096-S\* carbon mike installed  
at 11:45 am; 9-4-57 to cover meeting of "Organized  
Membership Directors & Financial Directors" called  
by the NY State CP in Rm 14G, Academy Hall. Mike  
Monitored in Rm 14H. Installed was discontinued  
9:55 pm; 9-4-57. All evidence of installation  
and all attendant wire removed.

18-cv-01868-8952

~~CONFIDENTIAL~~

NYairtel 12-23-57 NY 2186-S\* a mike was installed in Academy Hall, at 3 pm; 12-20-57 to cover meeting of "NY County CP Group" scheduled for 12-20-57 in Rm 16G. Mike monitored in Rm 16H. Installation discontinued 10:35 pm; 12-20-57 & mike removed 12:55 am; 12-21-57. All evidence of installation removed.

NYairtel 1-8-58 NY 2191-S\* "mike" installed 6 pm; 1-11-58 to cover meeting "Downtown Progressive Club" in Rm 11H, Academy Hall. Monitored from Room 11B. Installation removed 10 pm.

NYlet 5-26558 NY 2302-S\* reactivated at 4:45 pm 5-22-58 in Rm 14-H, Academy Hall, covering meeting of "Chess Club, Distributive Region of CP" NY 2302 disc: 5 pm; 5-23-58 and permanent wiring condition remain the same.



ACADEMY HALL

TMS

NEW YORK

~~CONFIDENTIAL~~

NYlet 6-4-58 NY 2310-S\* activated 3 pm; to cover meeting of CP group calling itself "Current Events Club" in Rm 18K, Academy Hall. Plant Rm 18H, same address. Disc: 10:38 pm; 6-3-58. All evidence of wiring removed. From proceedings of the meeting NY 2310-S\* advised that it was cadre training class of the New York County CP.

NYlet 6-10-58 NY 2315-S\* reactivated 12:10 pm, (U) 6-9-58 in Rm 14H, Academy Hall covering meeting of NY County CP". NY 2315-S\* was disc 12 midnight on the same date & permanent wiring conditons remain the same.

FD 143 dated 6-16-58

~~CONFIDENTIAL~~ 18-cv-01868-8955

FD -143 d ated: 12-16-58

NYlet 5-29-59. Inasmuch as Academy Hall is not being used with any degree of frequency by communist groups at the present time, & since no microphones have been installed there during the past year, it is deemed advisable to remove all existing wiring facilities there on this date. Though there has been no change in the security factor at Academy Hall since the date of the last installation, it was decided to initiate this action to eliminate any unforeseen security problems until such time as this installation should again be used. Henceforth, BU authority will be obtained before any future surveys or microphone installations are made at Academy Hall.

18-cv-01868-8956

ACADEMY HALL

IMS

NEW YORK

~~CONFIDENTIAL~~

Authorized: 12-2-59  
FO Notified: 12-2-59 (letter)  
Installed: React. 108-60  
Disc: 1-19-60 5:40 A.M.

Address: 853 Broadway, New York City

Plant: 853 Broadway, New York City

Comment: To be used for Communist Party, USA.  
meetings

PWD/agt RE:CP, USA, NY DIVISION, IS - C

100-3-4

18-cv-01868-8957

~~CONFIDENTIAL~~

ACADEMY HALL.

TMS

NEW YORK

~~CONFIDENTIAL~~

NYlet 1-13-60. On 1-8-60; 4:25 am; NY 2733-S\*, NY 2734-S\*, NY 2735-S\* and NY 2737-S\* were reactivated to cover meeting of "NY State CP convention hall" Rm 15A and caucus rooms, Rooms 15H, 16D, 16H, at Academy Hall. Monitoring was from Rm 17K. Monitoring discontinued 7:40 pm; 1-9-60. Mikes andwires remain secreted.

NYlet 1-20-60. All microphones and wiring originally installed on 11-27-59, namely NY 2733-S\* through NY 2741-S\* at Academy Hall, 853 Broadway NYC, were removed at 5:40 am; 1-19-60. The NY State CP Committee has now decided to hold its meetings on 1-23-60 at Adelphi Hall rather than at Academy Hall.

18-cv-01868-8958

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

SYMBOL NUMBER

NY 2733-S\*

NY 2734-S\*

NY 2735-S\*

NY 2736-S\*

NY 2737-S\*

NY 2738-S\*

NY 2739-S\*

NY 2740-S\*

NY 2741-S\*

ROOM COVERED

15A, 15A1, 15B (Used  
as one room for  
convention hall)

15F

16J

16G

16H

16B

14G

14H

18E

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 10-25-2020

BY

b6 -1

b7C -1

(U)

Room 18E was covered by installation of a mouse.  
NY 2733-S consisted of 2 carbon mikes used  
binaurally.

~~CONFIDENTIAL~~

18-cv-01868-8959

~~CONFIDENTIAL~~

NYairtel 7-27-64. There is no wiring or technical equipment at Academy Hall. All wiring and technical equipment are removed after each installation.

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY:

(U) ~~C~~

b6 -1

b7C -1

18-cv-01868-8960

~~CONFIDENTIAL~~

~~SECRET~~

~~A.~~

b1 -1

b3 -1

b6 -1, -2

b7C -1, -2

b7E -2

EXEMPTED FROM AUTOMATIC

DECLASSIFICATION

AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

EXEMPTION CODE: 50X(1.6-ISM/DIPLO)

DATE 11-12-2020

BY:

~~SECRET~~

18-cv-01868-8961 (S)



~~SECRET~~

b1 -1

b3 -1

b6 -2

b7C -2

b7E -2, -3

18-cv-01868-8962

~~SECRET~~

(S)



~~SECRET~~

b1 -1

b3 -1

b6 -2

b7C -2

b7E -2

18-cv-01868-8963

~~SECRET~~

(S)

[REDACTED] ~~SECRET~~ [REDACTED]


[REDACTED]  
EXEMPTED FROM AUTOMATIC  
DECLASSIFICATION  
AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
EXEMPTION CODE: 25X(1)  
DATE 11-04-2020 BY: [REDACTED]

[REDACTED]  
18-cv-01868-8964

(S) ~~SECRET~~

b1 -1  
b3 -1  
b6 -1, -2  
b7C -1, -2  
b7E -2

~~SECRET~~



b1 -1

b3 -1

b7E -2

(S)

~~SECRET~~

18-cv-01868-8965

~~SECRET~~

E/EMPTED FROM AUTOMATIC  
DECLASSIFICATION  
AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
E/EMPTION CODE: 25X(1)  
DATE 11-04-2020 BY

```
b1 -1
b3 -1
b6 -1, -2
b7C -1, -2
b7E -2
```

**23**

18-cv-01868-8966

~~SECRET~~

~~SECRET~~

b1 -1

b3 -1

b7E -2

18-cv-01868-8967

(S)

~~SECRET~~

[redacted] TS

NEW YORK 7

[redacted]  
[redacted] ~~CONFIDENTIAL~~

Referred to AG: [redacted]

Authorized: [redacted]

FO Notified: [redacted]

Installed: [redacted]

Discontinued: [redacted]

Address: [redacted]

Telephone: [redacted]

Plant: [redacted]

RE: [redacted]

THG/Agt [redacted]

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY [redacted]

9-8-83  
CLASSIFIED BY: SP7MAC/PL  
DECLASSIFY ON: OADR  
b6 -1  
b7C -1  
b7E -2, -3  
18-cv-01868-8968

~~CONFIDENTIAL~~

[REDACTED] TS

NEW YORK<sup>b7E</sup> -2

[REDACTED]  
~~CONFIDENTIAL~~

AG memorandum for the Acting Director, FBI  
[REDACTED]

AG memorandum for the Acting Director, FBI  
[REDACTED]

AG memorandum for the Acting Director, FBI (U) ~~(S)~~  
[REDACTED]

AG memorandum for the Director. FBI authorized  
[REDACTED]

18-cv-01868-8969

~~CONFIDENTIAL~~

TS

NEW YORK T

~~CONFIDENTIAL~~

9-8-83

CLASSIFIED BY:

~~SP7MAC/PMC~~

DN:

~~GADR~~

(U)

Referred to AG:

Authorized:

FO Notified:

Installed:

Discontinued:

Address:

Telephone:

Plant:

Comment:

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 11-12-2020

BY:

b6 -1

b7C -1

b7E -2

~~CONFIDENTIAL~~

DJM/Ag

18-cv-01868-8970



RE:

(U)

b7E -2, -3

18-cv-01868-8971

~~CONFIDENTIAL~~

AG memo for the Director. FBI authorized

b7E -2

AG memo for the Director. FBI authorized

~~C~~ (U)

18-cv-01868-8972

~~CONFIDENTIAL~~

ADAMS, ARTHUR

TS

NEW YORK

NYT-314

Authorized: 5-1-45, by the AG

Installed: 5-5-45, 10:30 am

b6 -1

Discontinued: 4/11/46 12 pm

b7C -1

Address: Room 303, 522 5th Ave., NYC (office)

Telephone: Murray Hill 23571 (listed to Music Products Inc.)

Location of plant: Sutech

ALL INFORMATION CONTAINED

HEREIN IS UNCLASSIFIED

DATE 10-29-2020 BY

SOVIET AGENT.

18-cv-01868-8973

100-331280-256

*unclassified*

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 10-29-2020 BY

b6 -1  
b7C -1

18-cv-01868-8974

ADAMS, ,ARTHUR

TS

NEW YORK

NYT-244

Authorized: 10-5-44 by the AG

Installed: 10-16-44, 12:30 pm

b6 -1

Discontinued: 2-4-46 10 am

b7C -1

Address: Room 1103, Peter Cooper Hotel, 130 E. 39th St.  
NYC

Telephone: Caledonia 5-2670

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 10-29-2020 BY

Location of plant: ~~Suted~~

*Room 820, Peter Cooper Hotel (1-28-45)*

SOVIET AGENT: *Suted*

18-cv-01868-8975

*taken over by Irene Miller*

100-190625

subject's room moved to  
another party.

Permanently disc. 3-28-196

ALL INFORMATION CONTAINED

HEREIN IS UNCLASSIFIED

DATE 10-29-2020 BY

b6 -1

b7C -1

18-cv-01868-8976

ADAMS, BETTY RITA

TS

NEW YORK

NYT-485

Authorized: 3/11/48 by the AG

b6 -1

Installed: 3/23/48 2 pm

b7C -1

Discontinued: 4-19-48 4 p.m.

ALL INFORMATION CONTAINED

HEREIN IS UNCLASSIFIED

DATE 10-29-2020 BY  

Address: 43-15 46th St., Sunnyside, LI

18-cv-01868-8977

Telephone: Stillwell 4-4926

Location of plant: sutec

INVOLVED IN SOVIET ESPIONAGE.

*g. acting Kaplan, Michael  
210 Riverside Dr.  
NYC.*

ESP-R

(this also covers residence of Jacob  
(and Solomon Albam' under symbol NYt 484  
and different telephone no.)

~~SECRET~~

b1 -1

b3 -1

b6 -1, -2

b7C -1, -2

b7E -2

EXEMPTED FROM AUTOMATIC  
DECLASSIFICATION

AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

EXEMPTION CODE: 50X(1.6-1.5M)DIPLO

DATE 11-12-2020 BY: [REDACTED]

18-cv-01868-8978

~~SECRET~~

(S)



~~SECRET~~

b1 -1

b3 -1

b6 -2

b7C -2

b7E -2

~~SECRET~~

18-cv-01868-8979 (S)

~~CONFIDENTIAL~~

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY

b6 -1

b7C -1

ADELPHI HALL  
74 Fifth Avenue  
New York City

(U) ~~C~~

~~9/9/83~~  
CLASSIFIED BY: ~~SP7MAC/stc~~  
DECLASSIFY ON: OADR

18-cv-01868-8980

~~CONFIDENTIAL~~

Bulet 7-5-57 Authority granted for 6 months  
effective 7-15-57. (t set 1-15-58)

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 10-29-2020 BY

b6 -1

b7C -1

18-cv-01868-8981

ADELPHI HALL

TMS

NEW YORK

NY -1963-S\*

~~CONFIDENTIAL~~

Authorized: 1-15-57 (CT)

FO Notified: 1-15-57 (airtel)

Installed: 2-18-57; 4 pm Disc: 2-19-57; 11:50pm

Address: Adelphi Hall, 74 Fifth Avenue, NYC

Plant: Adelphi Hall, 74 Fifth Avenue, NYC

Comment: Meetings of various CP organizations. C

WCT/agt RE: CP, USA, DIST. #2, IS - C

100-3-4

(U)

9/9/83  
CLASSIFIED BY: SP1 MAC/jtc

DECLASSIFY ON:

OADP

b6 -1

b7C -1

18-cv-01868-8982 ~~CONFIDENTIAL~~

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY

NYairtel 2-20-57 NY 1963-S\* installed 2-19-57;  
4 pm Discontinued 2-19-57; 11:50 pm "CPUSA,  
District #2, NY Division" meeting of NY State  
leaders.

NYairtel 3-7-57 NY 1963-S\* installed 3-6-57;  
6 pm Discontinued 3-7-57; 11 am "East Side Waiters  
Club" believed to be meeting of "Gates Faction"  
of NY State CP. Transmitter removed 11:00 am  
3-7-57 and all evidence of installation removed.

NYairtel 3-23-57 NY 1996-S\* installed 3-22-57;  
11:45 am Discontinued 3-23-57; 12:35 am Rm. 10B,  
Adelphi Hall, 74 Fifth Avenue, NYC Plant Room  
10C, same address. "CP, USA, District 2, IS-C" (U)

NYairtel 4-6-57 NY 1870-S\* activated 5:45 pm  
4-5-57 to cover meeting "Open Forum Club" Disc;  
11:45 pm 4-5-57.

18-cv-01868-8983

~~CONFIDENTIAL~~

2

NYairtel 5-6-57 NY 2023-S\* installed 5:30 pm  
5-3-57 to cover meeting "Film Arts Committee"  
Rm 11-K, Adelphi Hall, 74 Fifth Avenue, NYC  
NY 2023-S\* discontinued 12:15 am 5-4-57. All  
equipment and wiring removed. (U)

NYairtel 5-27-57 NY 1963-S\* activated 5-24-57  
4:30 pm "Lower East Side CP Section" Discontinued  
5-25-57; 12:04 am. Mike & all attendant wiring  
removed.

NYairtel 5-27-57 NY 2037-S\* activated 5-24-57;  
4:30 pm, Rm 11-G, Adelphi Hall, 74 Fifth Ave.,  
NYC monitored Rm 11-E, same address "manhattan  
Lecture Group" Discontinued: 5-24-57; 11:50 pm  
Mike and all attendant wiring removed.

~~CONFIDENTIAL~~

18-cv-01868-8984

NYairtel 5-27-57 NY 2045-S\* installed Rm 11-C, Adelphi Hall, 74 Fifth Avenue, NYC at 4:10 pm on 5-24-57 "NY State CP Committee" Monitored Rm 8-C. Deactivated 6:30 pm; 5-25-57; Mike and all attendant wiring removed.

NYairtel 6-25-57 NY 2050-S\* installed at 2 pm; 6-24-57 to cover meeting "NY State CP Board" Held in rm 11H, Adelphi Hall at 7:30 pm; 6-24-57. Installation monitored in rm 11K. Mike discontinued 12 midnight 6/24/57 and all evidence of installation removed.

NYairtel 7-1-57 NY 2045-S\* installed 4 pm; 6-28-57 Cover meeting of "NY State CP Committee" to be held in Rm 10-B, monitored Rm 10-C. Mike disc: 7:15 pm; 6-29-57. All evidence of installation removed. Meeting to be held 6-29-57

18-cv-01868-8985

~~CONFIDENTIAL~~

NYairtel 7-9-57 NY 2050-S\* installed in Rm 11K,  
10:30 pm 7-8-57 Cover meeting of the "New York  
State CP Board" Installation was monitored in  
Rm 11H. Misur discontinued 10:50 pm; 7-8-57 and  
all attendant wiring was removed.

NYlet 7-23-57 NY 2050-S\* mike installed 3:15 pm;  
7-22-57 cover meeting of the "Progressive Labor  
Forum" identified as the NY State CP Board, held  
Rm 9A, Adelphi Hall, 74 Fifth Ave., NYC. Mike was  
monitored in Rm 9B. Misur was removed at 11:15pm  
7-22-57 and all attending wire was removed.

18-cv-01868-8986

~~CONFIDENTIAL~~



ADELPHI HALL

~~MS CONFIDENTIAL~~ NEW YORK 7

NYairtel 8-5-57 NY 2045-S\* mike installed in Rm 8B, Adelphi Hall, 74 Fifth Ave., NYC at 9:45am on 8-4-57 to cover meeting of the "NY State CP Committee". Misur monitored in Rm 8A. Installation deactivated 6:15,pm; 8-4-57. Mike & all attendant wiring removed.

NYairtel 8-13-57 NY 2050-S\* installed in Rm 10B, Adelphi Hall, 8-12-57; 4:15 pm Disc: 8-12-57; 12 midnight. Misur monitored Rm 10A. Mike and all evidence removed of installation 8-12-57.

NYairtel 8-20-57 NY 2050-S\* installed 2:15 pm; 8-19-57 to cover meeting of the "NY State CP Board" in Rm 10G, Adelphi Hall. Monitored in Rm 10F. Installation discontinued and removed at 10:55 pm on 8-19-57. All attendant wire removed.

~~CONFIDENTIAL~~ 18-cv-01868-8987

NYairtel 9-10-57 NY 2050-S\* mike installed 11:30 am; 9-9-57 to cover meeting "NY State CP Board" Rm 11 G, monitored from Rm 11 E. Installation discontinued 12 midnight 9-9-57 and removed. All attendant wire removed.

NYairtel 9-24-57 NY 2050-S\* mike installed at 4:15 pm; 9-23-57 to cover meeting of "NY State CP Board" Rm 11K, Adelphi Hall. Mike monitored in Rm 11H, Adelphi Hall. Installation was disc at 10 pm; 9-23-57. Mike and all attendant wire was removed.

NYairtel 10-1-57 NY 2050-S\* mike installed 12 noon 9-30-57 cover meeting of NY State CP Board, Rm 11K, monitored from 11H, Adelphia Hall. Disc: 11:40 pm; 9-30-57 and all attendant wire removed.

18-cv-01868-8988

~~CONFIDENTIAL~~

NYairtel 10-15-57 NY 2045-S\* was reactivated at 4:30 pm; 10-11-57, to cover meeting of NY State CP Committee" held in Rm 10C, Adelphi Hall, 10/11, 12/57. Monitored fr Rm 9E. Disc: 6:45 pm; 10-12-57. Installation removed 11 am; 10-15-57 & all evidence thereof.

NYairtel 10-15-57 NY 2050-S\* reactivated 10:30 am 10-14-57, to cover meeting of "NY State CP Board" in Rm 11 G at Adelphi Hall, Monitored in Rm 11 H Discontinued 9:10 pm; 10-14-57. All evidence of installation removed. 18-cv-01868-8989

NYairtel 10-21-57 NY 2135-S\* reactivated 3:45 pm 10-18-57 in Rm 9D, Adelphi Hall, to cover meeting "Film Arts Committee" being held in Rm 8H. Disc: 11:35 pm; 10-18-57. All evidence of misur was removed at that time. ~~CONFIDENTIAL~~

NYairtel 10-22-57 NY 2045-S\* a carbon mike was installed at 2 pm, 10-21-57 to cover meeting of "New York State CP Committee" in Rm 10D, Adelphi Hall. Mike monitored in Rm 11K. Mike discontinued 12:30 am, 10-22-57. and all evidence of installation removed.

NYairtel 10-29-57 NY 2050-S\* a carbon mike was installed: 2:45 pm, 10-28-57, to cover meeting of "NY State CP Board" at Adelphi Hall. Meeting held in Rm 11E, plant Rm 11H. Discontinued 12:30 am; 10-29-57. Mike and all evidence of installation removed 11 am; 10-29-57. 18-cv-01868-8990

NYairtel 11-20-57 NY 2050-S\* a carbon mike was installed in Rm 11K, Adelphi Hall, at 4:15 pm; 11-18-57 to cover meeting of NY State CP Board. Mike monitored in Rm 11H. Mike disc 11:30 pm; 11-18-57 & all evidence of installation removed.

ADELPHI HALL

IMS

~~CONFIDENTIAL~~

NEW YORK 4

NYairtel 11-26-57 NY 2050-S\* a carbon mic install 2 pm; 11-25-57 in Adelphi Hall, to cover meeting "NY State CP Board" in Rm 11K. Mike monitored in Rm 11H. Mic disc 11:15 pm; 11-25-57 & all evidence of installation removed.

NYairtel 12-6-57 NY 2170-S\* a carbon mic, in Rm 9G, to monitor meeting of "Industrial Board, Industrial Division, CPUSA, DIST #2" in Rm 9G, Adelphi Hall reactivated 12:45 pm; 12-4-57. Plant Rm 8E. Disc: 12:10 am; 12-5-57. Wiring conditions remain same. (U) C

18-cv-01868-8991

NYairtel 12-10-57 NY 2050-S\* carbon mic installed 3pm; 12-9-57, to cover meeting of "NY State CP Board" Rm 11K, Adelphi Hall. Mic monitored Rm 11H. Mike disc: 11:55 pm; 12-9-57 & all evidence of installation removed.

~~CONFIDENTIAL~~

NYairtel 12-16-57 NY 2045-S\* a carbon mike, was installed in Adelphi Hall, at 2:15 pm; 12-13-57 to cover a meeting of "NY State CP Committee" scheduled for 12-13-57 & 12-14-57 in Rm 9B. Mike monitored in Rm 8B, 12-13-57 & in Rm 8C on 12-14-57. Installation discontinued 6:15 pm; 12-14-57 & mike was removed 11:40 am; 12-16-57. All evidence of installation was removed.

NYairtel 12-24-57 NY 2050-S\* reactivated 4 pm; 12-23-57. to cover meeting of NYS CP Board in Rm 11K at Adelphi Hall, Discontinued 9:30 pm; 12-23-57 to postponement of meeting. All evidence of installation removed.

18-cv-01868-8992

ADELPHI HALL

IMS

~~CONFIDENTIAL~~

NEW YORK 7

18-cv-01868-8993

NYairtel 1-9-58 NY 2193-S\* a mike in Rm 8-K to monitor meeting of "Industrial Board, Industrial Division, NY State CP" in Rm 8-K at Adelphi Hall activated 6 pm; 1-8-58. Plant Rm 9-A. Discontinued 11:30 pm; 1-8-58. Wiring conditions remain same all security precautions observed.

NYairtel 1-10-58 NY 2195-S\* a mike in Rm 9 G up monitor meeting of "Fund for Social Analysis" in Rm 10 G at Adelphi Hall activated 2:30 pm; 1-9-58. Plant Room 9 G. NY 2195-S\* discontinued 11:15 pm; 1-9-58. All evidence of installation removed.

NYairtel 1-13-58 NY 2199-S\* ~~CONFIDENTIAL~~ a mike installed in Rm 8E, Adelphi Hall, at 3:30 pm; 1-10-58; to cover meeting of "NJ State CP Committee". Mike monitored Rm 10F & disc: 6:30 pm; 1-12-58.

Installation was removed 1-13-58.

NYairtel 1-13-58 NY 2045-S\* a mike installed in Rm 11D, Adelphi Hall; at 2:30 pm; 1-10-58 to cover meeting of "NY State CP Committee". NY 2045-S\* was also installed in rm 9D, Adelphi Hall, at 3:40pm; 1-10-58 to cover meeting of "NY State CP Committee" to be held 1-12-58. Mike in Rm 11D was monitored from Room 11H & mike in Rm 9D was monitored in Rm 10F. Mike in Rm 11D was disc: (U) at 6:03 pm; 1-11-58 and mike in Rm 9D was disc: 6:30 pm; 1-12-58. Both of abu installations were removed on 1-13-58 & all attendant wire removed.

NYlet 1-28-58 NY 2050-S\* mike installed at Adelphi Hall, 1:45pm; 1-27-58 to cover Meeting of "NY State CP Board" Rm 11H. Mike monitored Rm 11 C. Discontinued 11:40 pm; 1-27-58. Mike & all evidence of installation removed. 18-cv-01868-8994



ADELPHI HALL

IMS

NEW YORK

~~CONFIDENTIAL~~

NYlet 1-27-58 NY 2210-S\* a mike in Rm 10-D to monitor meeting of "Industrial Division, CPUSA NY DISTRICT, NY Division" in Rm 10-D, Adelphia Hall, activated: 2:45 pm; 1-24-58. Plant Rm 10-C Disc: 11:35 pm; 1-24-58. Wiring conditions remain same.

18-cv-01868-8995

(U)

NYlet 2-4-58 NY 2050-S\* reactivated 3 pm; 2-3-58 cover propped meeting of NYS CP Board" in Rm 11K, Adelphia Hall, Plant Rm 11H. Discontinued 9:15pm 2-3-58 due to cancellation of meeting. All evidence of installation removed.

~~CONFIDENTIAL~~

NYlet 2-11-58 NY 2050-S\* mike installed Adelphia Hall at 12 noon; 2-10-58, cover meeting "NY State CP Board" Rm 11K. Monitored Rm 11H. Mike disc: 11:40 pm; 2-10-58 & all evidence removed.

NYlet 2-14-58 NY 2221-S\* a mike in Rm 8-K, to monitor meeting of "Industrial Board, Industrial Division," in Rm 8-K, Adelphi Hall activated 2:30 pm; 2-12-58. Plant Rm H. Discontinued 11 pm; 2-12-58. Wiring conditons remain same. (U)

NYlet 2-25-58 NY 2050-S\* reactivated 12 noon; 2-24-58 to cover meeting of "NY State CP Board" Rm 11K, Adelphia Hall. Plant Rm 11H. Disc: 11:55pm 2-24-58 & all evidence of installation removed.

NYlet 2-28-58 NY 2230-S\* a mike in Rm 11-K to monitor a meeting of "Industrial Board", Industrial Division" in Rm 11-K, Adelphi Hall, activated 1pm 2-26-58. Plant 10-F same address. Disc: 11:55 pm 2-26-58. Wiring conditions remain the same.

18-cv-01868-8996



NYlet 4-10-58 NY 2267-S\* a carbon mike in Rm 10G, to monitor a meeting of the "Industrial Board Industrial Division, NYC, CP", IN Rm 10 G, at Adelphi Hall, 74 5th Avenue, NYC activated 1:15pm 4-9-58. Plant Rm 9E. Disc: 11:14 pm; 4-9-58. Wiring conditions remain same.

NYlet 4-24-58 NY 2277-S\* activated 1 pm; 4-23-58 in Rm 11-K, Adelphi Hall, to cover meeting of "Industrial Board". Plant Rm 11-B. Disc: 10:40pm 4-23-58. Wiring conditons remain the same.

NYlet 4-30-58 NY 2280-S\* a mike was installed 12:15 pm; 4-29-58, Adelphi Hall to cover meeting of "NY State Cp County Organizers & Membership Directors" held in Rm 10F. Reservations were made under name of Progressive Labor Forum. Monitored from Rm 11E. Mike & all evidence removed 10:30 pm 4-29-58.

18-cv-01868-8998

ADELPHI HALL      IMS      NEW YORK 10  
~~CONFIDENTIAL~~

NYlet 5-8-58 NY 2287-S\* a mike in Rm 11-H, to monitor meeting of "Industrial Board of the Industrial Division, New York State CP" in Rm 11-K at Adelphi Hall, activated 12:35 pm; 5-7-58. Plant Rm 11-H. Disc: 10:21 pm; 5-7-58. Wiring conditions rema same.

NYlet 5-15-58 NY 2287-S\* a mike in Rm 11-K, to monitor meeting of "Industrial Board of Industrial Division, NY State CP" in Rm 11-K at Adelphi Hall activated 3 pm; 5-14-58. Plant Rm 11-B. Disc: 10:28 pm; 5-14-58. Wiring conditions remain the same.

18-cv-01868-8999

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NYlet 5-29-58 NY 2309-S\* & mike in Rm 11-E to monitor a meeting "Industrial Board, Industrial Division, NY State CP" in Rm 11-E, at Adelphi hall activated 12:05 pm; 5-28-58. Plant Rm 10-E. Disc: 10:40 pm; 5-28-58. Wiring conditions remain same.

NYlet 5-28-58 NY 2307-S\* was utilized to cover a meeting of "Progressive Labor Forum" IN Rm 10G, Adelphi Hall. NY 2307-S\*. installed 1:15 pm; 5-27-58 and Disc: 11:15 pm; 5-27-58. Plant room 9E. The mike and all evidence of wiring used to cover this meeting have been removed.

FD 143 dated 6-23-58.

18-cv-01868-9000

~~CONFIDENTIAL~~

NYairtel 6-26-58 NY 2324-S\* a carbon mike in Rm 11-K, to monitor meeting of the captioned org. in Rm 11-K at Adelphi Hall activated 11:35 am; 6-25-58. Plant Rm 11-H. Discontinued 10:40 pm; 6-25-58. Wiring Conditions remain the same. "CP, USA, NY District, Industrial Division, (U) ~~C~~ Industrial Board".

NYlet 7-2-58 NY 2332-S\* mike installed in Rm 10-G, Adelphi Hall, 3:15 pm; 7-1-58 to cover meeting of what was belived to be organizational secretaries and financial secretaries of the county organization in the NYC area. Installation monitored Rm 10-E. Mike disc: 11:05 pm 7-1-58 and all evidence of installation removed.

18-cv-01868-9001

NYlet 7-10-58 NY 2335-S\* a mike in Rm 10G, to monitor a meeting of the "CP, USA, NY District, Industrial Division, Industrial Board" in Rm 10G, at Adelphi Hall, 3:30 pm; 7-9-58. Plant room 10E. Discontinued 10:50 pm; 7-9-58. Wiring conditions remain same.

NYlet 7-24-58 NY 2346-S\* a mike in Rm 11-K to monitor meeting of "CP USA, NY DISTRICT, INDUSTRIAL DIVISION, INDUSTRIAL BOARD" in Rm 11-K; Adelphi Hall activated 11:55 am; 7-23-58. Plant Rm 11-E. Discontinued 7-23-58; 10:30 pm. Wiring conditions remain same.

18-cv-01868-9002

NYlet 8-6-58 NY 2332-S\* a mike installed in Rm 9-G, Adelphi Hall at 12:55 pm; 8-5-58 to cover meeting called by the "Progressive Labor Forum". Installed and monitored in Rm 9-G, Adelphi Hall. Mike Disc: 11:11 pm; 8-5-58. All evidence of installa removed.



ADELPHI HALL

IMS

NEW YORK 12

~~CONFIDENTIAL~~

NYlet 11-13-58 NY 2424-S\* activated 11-12-58;  
2 pm in Rm 10-G, Adelphi Hall cover meeting of  
"Industrial Board of CP, USA, NY District, NY  
Industrial Division." NY 2424-S\* disc: 10:40 pm  
11-12-58. Permanent Wiring conditions remain the  
same.

NYlet 12-11-58 NY 2443-S\* was activated on 12-10-58; 2:15 pm in Rm 10-G, Adelphi Hall,  
covering meeting of "Industrial Board of CP, USA  
NY District, NY Industrial Division." NY 2443-S\*  
disc: 11 pm, 12-10-58. Permanent wiring  
conditions remain the same.

18-cv-01868-9003

NYlet 12-17-58. NY 2448-S\* a mike in Rm 10-A,  
Adelphia Hall, activated 1:57 pm; 12-16-58, cover  
meeting of "CP, USA, NY District Education, NY

~~CONFIDENTIAL~~

Division". Monitored in Rm 9A. Disc: 12-16-58;  
11:30 pm. Mike & all evidence of wiring used to  
cover meeting have been removed.

FD-143 dated 12-24-58.

(U) ~~C~~

18-cv-01868-9004

ADELPHI HALL.

IMS

NEW YORK 13

18-cv-01868-9005

NYlet 12-23-58 NY 2453-S\* activated 1:30 pm  
12-22-58 in Rm 10-F, Adelphi Hall, cover meeting  
of "Industrial Board of CP USA, NY District, NY  
Industrial Division." NY 2453-S\* disc: 9:05 pm;  
12-22-58. Permanent wiring conditons remain the  
same.

NYlet 12-24-58 NY 2455-S\* activated 10:45 am;  
12-23-58 in Rm 11-G, Adelphi Hall, cover meeting  
of "Industrial Board, CP USA, NY District, NY  
Industrial Division." NY 2455-S\* disc: 8:55 pm;  
12-23-58. Permanent wiring remain the same.

NYlet 1-30-59. NY 2487-S\* a carbon mike installed  
in Adelphi Hall, 11:45 am; 1-29-59 to cover meet-  
ing of the "New York State CP Enlargd Youth  
Commission held that date in Rm 10F. Mike was

monitored in Rm 10G, Adelphi Hall. Mike discontinued 12:05 am; 1-30-59 and all evidence of installation was removed.

\*NYlet 2-5-59. NY 2495-S\* a mike was installed in Rm 10F, to monitor a Negro commission meeting of "CP, USA, New York District, NY Division, Negro Question". was held in Rm 10F, Adelphi Hall, was reactivated at 3:10 pm; 2-4-59. Installation was monitored in Rm 9A. Discontinued 9:33 pm; 2-4-59. The mike & all evidence of wiring used to cover this meeting have been removed. (U)

18-cv-01868-9006

, NYlet 2-10-59. NY 2500-S\* installed 1:15 pm; 2-6-59 to cover "NY State Communist Party leadership meeting" held in Rm 9C, Adelphi Hall Plant rm 9A. Discontinued 11:55 pm 2-6-59. All

ADELPHI HALL

IMS

NEW YORK 14

evidences of wiring removed 2:10 pm; 2-9-59.

NYairtel 2-12-59 NY 2507-S\* activated in Rm 10G, Adelphi Hall, at 2:55 pm; 2-11-59 to cover meeting of "Economic Research Association." NY 2507-S\* discontinued 3 pm; 2-12-59. Permanent wiring (U) conditions remain the same.

NYlet 2-12-59 NY 2506-S\* was activated 2:55 pm; 2-11-59 in Rm 11-K, Adelphi Hall to cover meeting of "Industrial Board of CP, USA, NY District, NY Industrial Division". NY 2506-S\* discontinued 11:30 pm; 2-11-59 and permanent wiring conditions remain the same. 18-cv-01868-9007

NYlet 2-26-59. NY 2527-S\* activated ~~in~~ at 4:15 pm in Rm 11-K, Adelphi Hall to cover meeting of the

"Industrial Board of CP, USA, NYD, NY Industrial Division". NY 2527-S\* discontinued 6:30 pm; 2-26-58 due to security reasons and permanent wiring conditons reamin the same. In view of the fact that no technical coverage was afforded this meeting, no dissemination will be made to NY file.

NYlet 3-6-59 NY 2540-S\* a mike installed at Adelphi Hall at 4:30 pm; 3-5-59, to cover a "NY State youth meeting" Held in rm 8G. Mike was monitored in Rm 8H. Installation discontinued at 11:58 pm; 3-5-59 and all evidence of installation was removed. 18-cv-01868-9008

NYlet 3-12-59. NY 2545-S\* activated 12:50 pm; 3-11-59 in Rm 8-K, Adelphi Hall cover meeing of "Industrial Board, CP, USA, NYD, NY Industrial Division". NY 2545-S\* discontinued 10:45 pm; 3-12-59 & permanent wiring conditions remain same

NYlet 3-16-59. NY 2550-S\* mike installed in Rm 8E, Adelphi Hall, 1:15 pm, 3-13-59 to cover meeting of "NY State CP Negro Commission." (U)

NY 2550-S\* was monitored in Rm 9E. Installation discontinued 11:20 pm; 3-13-59 and all evidence of installation was removed.

NYlet 3-26-59. NY 2560-S\* mike in Rm 8K, Adelphi Hall was activated at 2:00 pm; 3-25-59 to monitor meeting of "CP, USA, NY District, Industrial Division, Industrial Board," in that room. Plant Rm 10F. Discontinued 11:30 pm; 3-25-59. Wire conditions remain the same. 18-cv-01868-9009

NYlet 3-30-59 NY 2565-S\* installed 1:47 pm; 3-27-59, to cover meeting of "NY District CP Youth" held in Rm 10C, Adelphi Hall. Discontinue

6:40 pm; 3-28-59. Monitored from room 10d.  
Security conditions remain the same.

NYlet 3-31-59. NY 2566-S\* installed 12:40 pm;  
3-30-59 to cover meetin of "CP, USA, NY District  
Youth Group" in room 10G, Adelphi Hall ; Plant  
Room 10E. Discontinued 2:00 am; 3-31-59.  
Security conditions remain the same.

NYlet 4-6-59. NY 2045-S\* reactivated 11 am; (U)  
4-3-59. to cover meeting of "NY State CP  
Committee" scheduled to be held 7:30 pm; 4-3-59 &  
10:30 am; 4-4-59 in Rm 11C, Adelphi Hall. At  
6:20 pm; 4-4-59, NY 2045-S\* was deactivated & all  
evidence of installation removed.

18-cv-01868-9010



NYlet 4-9-59. NY 2574-S\* activated 12:15 pm;  
4-8-59 in Rm 10-G, Adelphi Hall, cover meeting of  
"Industrial Board, CP, USA, NYD, Industrial  
Division." NY 2574-S\* discontinued 10:51 pm;  
4-8-59 & permanent wiring conditions remain the  
same. (U)

NYlet 4-17-59. NY 2581-S\* activated at Adelphi  
Hall 4-16-59; 1:04 pm to cover meeting of "NY  
District CP Youth" scheduled in Rm 8G on 4-16-59.  
Mike monitored in Rm 8H. Installation discontinued  
10:09pm; 4-16-59. All evidence of installation  
was removed. 18-cv-01868-9011

NYlet 4-21-59. NY 2585-S\* activated at 3 pm;  
4-17-59 in Rm 8E, Adelphi Hall to cover meeting of  
"Economic Research Assoc." NY 2585-S\* disc 11 am

4-20-59. Wiring conditions remain the same.  
NYlet 6-30-59. NY 2588-S\* assigned to coverage of  
"CPUSA National Committee meeting" held in NYC on  
4/25 and 26/59. NY 2588-S\* installed 5 pm; 4-24-59  
and discontinued 11 pm; 4-28-59. Mike and all  
wiring removed.

NYlet 4-30-59. NY 2592-S\* activated 1 pm; 4-29-59  
in Rm 10G, Adelphi Hall to cover meeting of  
"Industrial Board, CP, USA, NY District, Industrial  
Division". NY 2592-S\* discontinued 10:40 pm;  
4-29-59 & permanent wiring conditions remain the  
same.

18-cv-01868-9012

NYlet 5-14-59. NY 2600-S\* activated 1:40 pm;  
5-13-59 in Rm 9G, Adelphi Hall to cover meeting  
of "Industrial Board of CP, USA, NYD, NY  
Industrial Division." NY 2600-S\* discontinued

10:40 pm; 5-13-59 and permanent wiring conditions remain the same.

NYlet 6-4-59. NY 2614-S\* activated 6-3-59; 12 noon in Rm 10F, Adelphi Hall covering meeting of "Industrial Board of CP USA, NYD, NY Industrial Division." NY 2614-S\* discontinued 6-3-59; 11:10 pm and permanent wiring conditions remain the same. (U) C

NYlet 6-8-59. NY 2616-S\* activated in Rm 10G, Adelphi Hall cover meeting "National Groups Commission, CP, USA, NY District, National Groups Commission" 6-4-59; 11:55 am. NY 2616-S\* deactivated 6-5-59; 1:40 pm permanent wiring conditions remains the same.

NYlet 6-9-59. NY 2617-S\* installed 6-5-59;  
1:25 pm to cover meeting of "CP, USA, NY District  
State Committee" held in Rm 11C, Adelphi Hall.  
Plant Rm 11-H. Discontinued 6-6-59; 6 pm.

FD 143 dated 6-18-59.

(U) ~~e~~

18-cv-01868-9014

ADELPHI HALL

IMS ~~CONFIDENTIAL~~ NEW YORK 18

NYlet 6-17-59. NY 2628-S\* was installed Adelphi Hall at 12 noon; 6-16-59, to cover meeting of "NYS CP Negro Commission" scheduled for 6-16-59 in Rm 10F. NY 2628 monitored Rm 9G. Disc: 10:30pm 6-16-59. All evidence of installation was removed

NYlet 6-26-59. NY 2636-S\* activated 6-24-59; 12 noon in Rm 10-G, Adelphi Hall to cover meeting of "Industrial Board of CP, USA, NYD, NY Industrial Division". NY 2636-S\* discontinued: 6-25-59; 12 noon & permanent wiring conditions remain the same.

NYlet 6-26-59. NY 2635-S\* a carbon mike installed 1:15 pm; 6-25-59 in Rm 10G, Adelphi Hall to cover meeting of "Organizational Bureau, CPUSA". Meet-

~~CONFIDENTIAL~~

18-cv-01868-9015

ing monitored from Rm 10E. Coverage discontinued  
9:30 pm; 6-25-59. All evidence of installation  
removed.

NYlet 7-23-59. NY 2655-S\* activated at 3 pm;  
7-22-59 in Rm 9-G, Adelphi Hall, to cover meeting  
of "Industrial Board of CP, USA, NYD, NY Industrial  
Division". NY 2655-S\* discontinued: 11 am ; (U)C  
7-23-59 and permanent wiring conditons remain the  
same.

NYlet 7-29-59. NY 2656-S\* installed 1:30 pm;  
7-23-59 to cover meeting of "National Committee  
of the CPUSA" held in Rm 9B, Adelphi Hall, on  
7/25 and 26/59. Plant Rm 10G. Discontinued: 1:15  
pm; 7-28-59.

ADELPHI HALL

IMS ~~CONFIDENTIAL~~ NEW YORK 19

NYlet 8-17-59. NY 2662-S\* activated 1:15 pm;  
8-12-59, in Rm 10-G, Adelphi Hall to cover meeting  
of "Industrial Board, CP, USA, NYD, NY Industrial  
Division". Discontinued: 8-14-59; 11:15 am &  
permanent wiring conditions remain the same. (U)

NYlet 9-1-59. NY 2669-S\* installed 4:15 pm;  
9-28-59 to cover meeting of "NY State CP Committee"  
held in Rm 11C, Adelphi Hall. Mike and attendant  
wiring removed 2:30 pm; 8-31-59.

NYlet 9-14-59. NY 2677-S\* was installed 9-12-59;  
9 am at Adelphi Hall to cover meeting of "NY State  
CP Youth Commission" held in Rm 11-H at 10:30 am;  
9-12-59. Mike monitored in Rm 11-C. Discontinued  
9-12-59; 5:40 pm. All evidence of installation  
removed.

~~CONFIDENTIAL~~

18-cv-01868-9017

NYlet 9-25-59. NY 2691-S\* activated 9-23-59;  
12:10 pm in Rm 10-G, Adelphi Hall to cover meeting  
of "Industrial Board, CP USA, NYD, NY INDUSTRIAL  
DIVISION". NY 2691-S\* discontinued 9-24-59; 11:30  
am & permanent wiring conditions remain the same.

NYlet 10-5-59. NY 2693-S\* activated 9-25-59; (U)  
5:15 pm in Rm 11-H, Adelphi Hall to cover meeting  
"Eastern Seaboard Conference of the CPUSA" held  
9-25-59 and 9-26-59. On 9-25-59 meeting held in Rm  
11-H and was monitored in Rm 11-G. On 9-26-59  
meeting held in Rm 11-H and was monitored in Rm  
9-B. Installation was discontinued at 2:45 pm on  
9-28-59. All evidence of installation was removed  
and maximum security was maintained.



ADELPHI HALL

~~IMS CONFIDENTIAL~~ NEW YORK

NYlet 10-16-59. NY 2703-S\* activated 10-14-59; 12:45 pm, in Rm 10-G, Adelphi Hall to cover meeting of the "Industrial Board of CP, USA, NYD, NY Industrial Division". NY 2703-S\* discontinued 10-15-59; 11:40 am and permanent wiring conditions remain the same.

18-cv-01868-9019

NYlet 11-2-59. NY 2713-S\* activated in Rm 9-E, Adelphi Hall, at 7:15 am; 11-1-59, to monitor a meeting of "Lower East Side CP Section, NY County CP". Plant Rm 10-B. Discontinued: 1:30, pm; 11-2-59. Wiring conditions remain same.

NYlet 11-9-59. On 11-6-59; 3:30 pm, a mike was installed in Rm 11C, Adelphi Hall to cover meeting of "NY State CP Committee". Discontinued 12 noon 11-9-59. NY 2718-S\* was assigned to installation.

~~CONFIDENTIAL~~

NYlet con't 11-9-59. Installation was removed  
on 11-9-59 at 12 noon. 18-cv-01868-9020

NYlet 11-17-59. NY 2720-S\* activated 2:45 pm;  
11-13-59 in Rm 9-G, Adelphi Hall to cover the  
"Industrial Division Convention". NY 2720-S\* was  
discontinued 12:02 pm; 11-16-59 and permanent  
wiring conditions remain the same..

NYlet 11-18-59. NY 2722-S\* activated at 7:15 am;  
11-15-59, in Rm 8K, Adelphi Hall, to cover meeting  
of "Queen County, NY, CP Convention." NY 2722-S\*  
was discontinued 11:17 am; 11-16-59 and permanent  
wiring conditions remain the same.

NYlet 12-7-59. NY 2728-S\* and NY 2729-S\* activate  
11-20-59; 12:15 pm, in Rms 9B and 10D, Adelphi  
Hall to cover convention of "CP USA, NY District  
NY County". Sources disc: 11-23-59; 11:30 am &

~~CONFIDENTIAL~~

NYlet con't 12-7-59. and permanent wiring conditions remain the same.

NYlet 12-7-59. NY 2746-S\* activated 12-2-59; 2:35 pm in Rm 8-K, Adelphi Hall to cover meeting of "Industrial Board, CP USA, NY District, NY Industrial Division." NY 2746-S\* discontinued 12-4-59; 3:47 pm and permanent wiring conditions remain the same. (U)

NYairtel 12-8-59. Misur installed 12-8-59; 2 pm Rm 11D, Adelphi Hall, to cover meeting of "National Committee, CP USA" to be held 12-9-59. NY 2759-S\* assigned. Monitoring plant will be Rm 10E.

FD 143 dated 12-14-59.

~~CONFIDENTIAL~~

18-cv-01868-9021

ADELPHI HALL  
(Amalgamated Clothing  
Workers of America)

MS

NEW YORK  
NY 2916-S\*

~~CONFIDENTIAL~~

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 10-29-2020

BY: [REDACTED]

Authorized: 5-5-60  
FO Notified: 5-5-60 (letter)  
Installed: 5-16-60; 12:20 pm

*like  
removed & wiring  
on 7-9-62*

b6 -1

b7C -1

Address: Rm 10E, Adelphi Hall, 74 Fifth Ave., NYC

Plant: Adelphi Hall

CLASSIFIED BY: *SP7mc/ste*

DECLASSIFY ON: OADR

*9/9/83*

Comment: CP club of the Industrial Division under  
club name of "Amalgamated Press"

18-cv-01868-9022

PWD/agt RE: CP, USA, NY DISTRICT, INDUSTRIAL  
~~CONFIDENTIAL~~ DIVISION, IS - C 100-3-4

Memo Baumbardner to Belmont 5-4-60. This is a permanent mike installation to cover meeting of the Amalgamated Press. Trespass involved.

~~CONFIDENTIAL~~

NYlet 5-18-60. A permanent misur arrangement utilizing a carbon mike installed 12:20 pm; 5-16-60. The terminal point of the attendant wiring is secreted in the hallway outside and away from Rm 10E. The installation has been assigned NY 2916-S\*. (U)

18-cv-01868-9023

~~CONFIDENTIAL~~

ADELPHI HALL  
(Amalgamated Clothing  
Workers of America  
"Amalgamated Press")

MS  
~~CONFIDENTIAL~~ NEW YORK  
NY 2916-S\*

9/9/83  
CLASSIFIED BY: ~~SP MAC/rtc~~  
DECLASSIFY ON: OADR

NYlet 5-18-60. Installed 5-16-60; 12:20 pm to  
cover meeting of "Amalgamated Press" 5-16-60.  
Monitoring of the Amalgamated Press meeting  
terminated 5-16-60; 8 pm and all security  
precautions were observed. (U) ~~C~~

NYlet 5-24-60. NY 2916-S\* activated 3:35 pm;  
5-23-60 in Rm 10-E, Adelphi Hall to cover meeting  
of "CP, USA, NYD, NY DIVISION, INDUSTRIAL DIVISION  
NY 2916-S\* discontinued 11:05 am; 5-24-60 & full  
security maintained.

FD 143 dated 5-31-60.  
18-cv-01868-9024

~~CONFIDENTIAL~~

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY:  

b6 -1

b7C -1

ADELPHI HALL  
(Amalgamated Clothing  
Workers of America  
"Amalgamated Press")

IMS

NEW YORK<sup>3</sup>

NY 2916-S\*

~~CONFIDENTIAL~~

9/9/83  
CLASSIFIED BY: *SP2mac/rtc*

DECLASSIFY ON:

~~OADR~~

b6 -1

b7C -1

NYlet 6-8-60. NY 2916-S\* activated at 11:30 am;  
6-6-60 in Rm 10-E, Adelphi Hall to cover meeting  
of "CP USA, NYD, New York Division, Industrial  
Division." Ny 2916-S\* discontinued 1:40 pm; (U) ~~C~~  
6-7-60 and full security was maintained.

NYlet 6-8-60. NY 2916-S\* was activated 11:55 am  
in Rm 10-E, Adelphi Hall to cover meeting of the  
"Painters Rank and File, CP, USA, NYD, INDUSTRIAL  
DIVISION, BUILDING TRADES REGION". NY 2916-S\*  
discontinued 7:45 pm; 6-7-60.

NY 18

18-cv-01868-9025

~~CONFIDENTIAL~~

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 10-29-2020

BY

~~CONFIDENTIAL~~

NYlet 6-15-60. NY 2916-S\* activated 1:55 pm; 6-13-60 in Rm 10-E, Adelphi Hall to cover meeting of "CP, USA, NYD, New York Division, Industrial Division". NY 2916-S\* was discontinued 11:20 am on 6-14-60 & full security was maintained.

NYlet 6-22-60. NY 2916-S\* activated 12:30 pm on 6-20-60 in Rm 10-E, Adelphi Hall to cover meeting of CP USA, NYD, Industrial Division". NY 2916-S\* discontinued 8 pm on 6-20-60 and full security was maintained. (U)

NYlet 6-28-60. NY 2916-S\* activated 1:45 pm on 6-27-60. in Rm 10-E, Adelphi Hall to cover meeting of "CP USA, NYD, New York Division, Industrial division." NY 2916-S\* discontinued 8:05 pm on 6-27-60 and full security maintained.

~~CONFIDENTIAL~~

18-cv-01868-9026





~~CONFIDENTIAL~~

NYlet 8-24-60. NY 2916-S\* activated at 11:50 am 8-22-60 in Rm 10E, Adelphi Hall to cover meeting of "CP, USA, NYD, New York Division, Industrial Division". NY 2916-S\* was discontinued at 8:20 pm on 8-22-60 and full security was maintained.

NYlet 8-30-60. NY 2916-S\* activated at 11:35 am 8-29-60, in Rm 10E, Adelphi Hall to cover meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 8:45 pm; 8-29-60 and full security maintained.

NYlet 9-13-60. NY 2916-S\* activated at 12:10 am 9-12-60, in Rm 10E, to cover meeting of CP, USA NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 7:15 pm; 9-12-60 & full security was maintained.

18-cv-01868-9028

~~CONFIDENTIAL~~

ADELPHI HALL

IMS ~~CONFIDENTIAL~~ NEW YORK 5  
NY 2916-S\*

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 10-29-2020

BY [REDACTED]

FILED BY: *SP2mac/rtc* 9/9/22

CLASSIFIED BY: *SP2mac/rtc* 9/9/22

OADR

b6 -1

b7c -1

NYlet 9-20-60. NY 2916-S\* activated 9-19-60; 7:45 pm, in Rm 10E, Adelphi Hall to cover meeting of "CP, USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 9-19-60; 7:45 pm and full security was maintained.

NYlet 9-27-60. NY 2916-S\* activated 9-26-60; 11:50 am in Rm 10E, Adelphi Hall to cover meeting of "CP USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 9-26-60; 8:15 pm and full security maintained.

18-cv-01868-9029

NYlet 10-18-60. NY 2916-S\* activated 1:15 pm; 10-17-60 in Rm 10E, Adelphi Hall to cover meeting of "CP USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 8:20 pm; 10-17-

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

60 and full security maintained.

NYlet 11-1-60. NY 2916-S\* activated 3:45 pm;  
10-31-60 in Rm 10E, Adelphi Hall to cover meeting  
of "CP USA, NY District, NY Division, Industrial  
Division." NY 2916-S\* discontinued 8:20 pm;  
10-31-60 and full security was maintained. (U)

NYlet 11-8-60. NY 2916-S\* activated on 11-7-60;  
in Rm 10E, Adelphi Hall to cover meeting of "CP  
USA, NY District, NY Division, Industrial Division  
NY 2916-S\* discontinued 8:35 pm; 11-7-60 and full  
security maintained.

FD 143 dated 11-17-60.

18-cv-01868-9030

~~CONFIDENTIAL~~

## ADELPHI HALL

IMS CONFIDENTIAL NEW YORK

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION

DATE 11-04-2020

BY:

CLASSIFIED BY: SP7MAC/NTY 2916-S\*

DECLASSIFY ON:

OADR

9/9/83

b6 -1

NYlet 11-15-60. NY 2916-S\* activated 2 pm; 11-15-60, in Rm 10E, Adelphi Hall to cover meeting "CP USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 8:40 pm; 11-14-60 and full security maintained. PLANT: 96. 18-cv-01868-9031 (U) ~~C~~

NYlet 11-22-60. NY 2916-S\* was activated 12:30 pm 11-21-60, in Rm 10E, Adelphia Hall, to cover meeting "CP, USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 3:40 pm; 11-21-60, and security was maintained. PLANT: 96.

NYlet 11-23-60. NY 2916-S\* activated 12:30 pm; 11-22-60., in Rm 10E, Adelphi Hall to cover meeting of "Painters Section" of "CP, USA, NYD, Industrial

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

Division, Building Trades Region". NY 2916-S\* discontinued 7:55 pm; 11-22-60 and full security was maintained. PLANT: 96

NYlet 11-29-60. NY 2916-S\* activated 12:30 pm; 11-28-60 in Rm 10E, Adelphi Hall to cover meeting of "CP, USA, Ny District, NY Division, Industrial Division". NY 2916-S\* discontinued 8:15 pm; 11-28-60 and full security was maintained. PLANT: 96

NYlet 12-6-60. NY 2916-S\* activated 12:30 pm; 12-5-60, in Rm 10E, Adelphi Hall to cover meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued: 7:30 pm; 12-5-60 and full security maintained. PLANT: 96

~~CONFIDENTIAL~~

18-cv-01868-9032

ADELPHI HALL

~~CONFIDENTIAL~~ NEW YORK

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION GUIDE

DATE 10-29-2020

BY



CLASSIFIED BY: ~~SP7MAC/jtc~~

NY 2916 c\*  
b6 -1

CLASSIFY ON:

ORDR

b7C -1

NYlet 12-15-60. On 12-14-60, NY 2916-S\* activated  
4:15 pm in Rm 10E, Adelphi Hall to cover a meeting  
of the "Painters Rank and File, CP, USA, NYD, (U)  
Industrial Division, Building Trades Region."  
NY 2916-S\* discontinued 7:30 pm; 12-14-60 and full  
security maintained. The Painters Rank and File  
did not hold a meeting in Rm 10E on 12-14-60. PLANT: 96

NYlet 12-20-60 NY 2916-S\* activated 12:40 pm;  
12-19-60 in Rm 10E, Adelphi Hall to cover meeting  
of CP USA; NY DISTRICT; INDUSTRIAL DIVISION held  
in that rm under the name "Amalgamated Press".  
Plant Rm 9G, was discontinued 12-19-60; 8:15 pm  
Wiring conditions remain the same. No equipment of  
any kind was left in the plant room. 18-01868-9033

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

18-cv-01868-9034

NYlet 1-10-61. NY 2916-S\* activated at 2 pm;  
1-9-61, in Rm 10E, Adelphi Hall to cover meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 8:05 pm;  
1-9-61; and full security was maintained. *PLANT: 96*

NYlet 1-18-61. NY 2916-S\* activated at 12:45 pm;  
1-16-61, in Rm 10E, Adelphi Hall to cover a  
meeting of "CP, USA, NY District, NY Division,  
Industrial Division." NY 2916-S\* was discontinued  
7:20 pm; 1-16-61 and full security was maintained.

NYlet 1-24-61. NY 2916-S\* activated 12:35 pm;  
1-23-61 in Rm 10E, Adelphi Hall to cover meeting  
"CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 7:35 pm;  
1-23-61, and full security maintained. *PLANT: 96*

~~CONFIDENTIAL~~



ADELPHI HALL.

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION

DATE 10-29-2020

BY



~~CONFIDENTIAL~~ NEW YORK

CLASSIFIED BY: *SP2MAC/ste* NY 2916

CLASSIFY ON:

QADR

b6 -1

b7C -1

NYlet 1-26-61. NY 2916-S\* reactivated in Rm 10E, Adelphi Hall, 2:50 pm; 1-25-61, to cover a meeting of the "Legislative Commission, NY District, CP, USA. Installation was monitored in Rm 9G, Adelphi Hall. Installation discontinued 8:25 pm; 1-25-61.

NYlet 1-31-61. NY 2916-S\* activated 12:57 pm; 1-30-61, Rm 10E, Adelphi Hall to cover meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 7:45 pm; 1-30-61 and full security was maintained. PLANT: 96

NYlet 2-7-61. NY 2916-S\* activated in Rm 10E, 2-6-61; 3:50 pm to cover meeting "CP, USA, NY District, NY Division, Industrial Division."

18-cv-01868-9035

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

18-cv-01868-9036

NY 2916-S\* discontinued: 8:05 pm; 2-8-61 and full security maintained. PLANT: SN

NYlet 2-21-61. NY 2916-S\* activated 2-20-61; 1:20 pm in Rm 10E, Adelphi Hall to cover a meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 7:50 pm; 2-20-61. PLANT: 96 ~~CONFIDENTIAL~~

NYlet 3-3-61. NY 2916-S\* activated 3:10 pm; 3-2-61, in Rm 10-E, Adelphi Hall to cover a meeting of "Jewish Commission of the NY District CP." NY 2916-S\* discontinued 10:22 pm; 3-2-61 and full security was maintained. PLANT: SN

NYlet 3-8-61. NY 2916-S\* activated 12:30 pm; 3-6-61 in Rm 10E, Adelphi Hall, cover meeting of "CP, USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 7:45 pm;

NYlet 3-14-61. NY 2916-S\* activated 11 am;  
3-13-61, in Rm 10E, Adelphi Hall to cover meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division." NY 2916-S\* discontinued 7:30 pm;  
3-13-61 and full security maintained. *PLANT: 9G*

NYlet 3-21-61. NY 2916-S\* activated 12:15 pm on  
3-20-61 in Rm 10E, Adelphi to cover a meetin of  
"CP, USA, NY District, NY Division, Industrial  
Division." NY 2916-S\* discontinued 8:40 pm;  
3-20-61 and full security was maintained. *PLANT: 9G*

NYlet 3-4-61. NY 2916-S\* activated 1:15 pm;  
3-3-61 in Rm 10E, Adelphi Hall to cover a meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 8:30 pm; *CONFIDENTIAL* 4-3-

and full security maintained. PLANT: 9G

~~CONFIDENTIAL~~  
NYlet 4-11-61. NY 2916-S\* activated in Rm 10E,  
1:05 pm; 4-10-61 Adelphi Hall to cover a meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 8 pm; 4-10-61  
and full security was maintained. PLANT: 9G

NYlet 4-18-61. NY 2916-S\* activated 4-17-61;  
4:05 pm in Rm 10E, Adelphi Hall, 74 Fifth Ave., NYC  
to cover a meeting of "CP, USA, NY District, NY  
Division, Industrial Division.". NY 2916-S\*  
discontinued 8pm; 4-17-61 and full security  
maintained. Monitored Rm 9G. 18-cv-01868-9036 (U)

NYlet 4-25-61. NY 2916-S\* activated 1 pm; 4-24-61  
in Rm 10E, Adelphi Hall to cover a meeting of "CP  
USA, NY District, NY Division, Industrial Division"  
NY 2916-S\* disc 8:15 pm; 4-24-61. Rm 9G, Adelphi  
Hall, used for monitoring 4-24-61. ~~CONFIDENTIAL~~

ADELPHI HALL

IMS

~~CONFIDENTIAL~~

NEW YORK

NY 2916-S\*

NYlet 5-16-61. NY 2916-S\* activated 12:40 pm;  
5-15-61 in Rm 10E, Adelphi Hall to cover a meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 8:35 pm;  
5-15-61. Rm 9G, Adelphi Hall used for monitoring  
5-15-61.

18-cv-01868-9039

NYlet 5-23-61. NY 2916-S\* activated at 2:15 pm;  
5-22-61 in Rm 10E, Adelphi Hall to cover a meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division." NY 2916-S\* was discontinued: 7:40 pm;  
5-22-61. Rm 9G, Used for monitoring 5-22-61.

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY  

CLASSIFIED BY: *SP7 mac/stc*

DECLASSIFY ON:

~~OADR~~

*9/9/83*

b6 -1

b7C -1

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

[FD 143 dated 5-29-61.]

~~C~~ (U)

18-cv-01868-9040

~~CONFIDENTIAL~~

ADELPHI HALL ~~CONFIDENTIAL~~ IMS NEW YORK  
CLASSIFIED BY: *SP7mac/rtc* NY 2916-S\*  
DECLASSIFY ON: OADR

NYlet 6-6-61. NY 2916-S\* activated 12:45 pm;  
5-5-61 in Rm 10E, Adelphi Hall to cover a meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division." NY 2916-S\* was discontinued 8:05 pm;  
5-5-61. Rm 11K, Adelphi Hall, NYC, was used for  
monitoring 6-5-61. (U)

NYlet 6-13-61. NY 2916-S\* activated 12:35 pm;  
6-12-61, In Rm 10E, Adelphi Hall to cover a meet-  
ing of "CP, USA, NY District, NY Division, b6 -1  
Industrial Division. NY 2916-S\* discontinued b7C -1  
8:35 pm; 6-12-61. Room 9G, Adelphi Hall used  
for monitoring 6-12-61.

DECLASSIFICATION AUTHORITY DERIVED FROM:  
FBI AUTOMATIC DECLASSIFICATION GUIDE  
DATE 10-29-2020 BY:

18-cv-01868-9041 ~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

18-cv-01868-9042

NYlet 6-20-61. NY 2916-S\* activated at 3:30 pm 6-19-61, in Rm 10E, Adelphi Hall to cover a meeting of "CP, USA, NY District, NY Division, Industrial Division." NY 2916-S\* discontinued 8:50 pm; 6-20-61. Room 9G, Adelphi Hall was used for monitoring 6-20-61.

NYlet 6-27-61. NY 2916-S\* activated 12 pm; 6-26-61 in Rm 10E, Adelphi Hall to cover a meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 8:05 pm; 6-26-61. Rm 9G, Used for monitoring.

NYlet 7-18-61. NY 2916-S\* activated 2:15 pm; 7-17-61, Rm 10E, Adelphi Hall cover meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* disc 8:15 pm; 7-17-61, Rm 9G used for monitoring.

~~CONFIDENTIAL~~



CLASSIFIED BY: SP7MAC/ste NY 2916b6 -1

18-cv-01868-9043

DECLASSIFY ON:

OADR

9/9/83

b7C -1

NYlet 7-25-61. NY 2916-S\* activated 12 noon,  
7-24-61, in Rm 10E, Adelphi Hall to a meeting of  
"CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 8:05 pm;  
7-24-61. Rm 9G, Adelphi Hall used for monitoring.

NYlet 8-8-61. NY 2916-S\* activated 12:30 pm; on  
8-7-61, in Rm 10E, Adelphi Hall to cover meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 7 pm; 8-7-61.  
Room 9G, Adelphi Hall used for monitoring.

NYlet 8-23-61. NY 2916-S\* activated 12:50 pm;  
8-21-61, in Rm 10E, Adelphi Hall to cover meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 3 pm; 8-21-61.

~~CONFIDENTIAL~~

Room 9G, Adelphi Hall was used for monitoring 8-21-61.

NYlet 10-4-61. NY 2916-S\* activated 12:55 pm on 10-2-61, in Rm 10E, Adelphi Hall to cover a meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 7:55 pm on 10-2-61, and full security maintained. Rm. 9G, Adelphi Hall was used for monitoring. (U) C

NYlet 10-10-61. NY 2916-S\* activated 12:40 pm; 10-9-61, in Rm 10E, Adelphi Hall to cover a meeting of "CP, USA, NY District, NY Division, Industrial Division". NY 2916-S\* discontinued 8 pm; 10-9-61 Rm 11K, Adelphi Hall was used for monitoring.

~~CONFIDENTIAL~~

18-cv-01868-9044

NYlet 10-17-61. NY 2916-S\* activated 12:30 pm;  
10-16-61 in Rm 10E, Adelphi Hall to cover a  
meeting of "CP, USA, NY District, NY Division,  
Industrial Division". NY 2916-S\* discontinued  
8 pm; 10-16-61. Rm 9G, Adelphi Hall used for  
monitoring.

18-cv-01868-9045

NYlet 11-1-61. NY 2916-S\* activated 12:30 pm;  
10-30-61, in Rm 10E, Adelphi Hall to cover a meet-  
ing of "CP, USA, NY District, NY Division,  
Industrial Division". NY 2916-S\* discontinued  
9 pm; 10-30-61. Rm 9G, Adelphi Hall used for  
monitoring.

~~CONFIDENTIAL~~

NYlet 11-14-61. NY 2916-S\* activated 12:15 pm;  
11-13-61, in Rm 10E, Adelphi Hall to cover a meet-  
ing of "CP, USA, NY District, NY Division,

~~CONFIDENTIAL~~

Industrial Division. NY 2916-S\* discontinued at 8:15 pm; 11-13-61. Rm 9G, Adelphi Hall used for monitoring.

FD 143 dated 11-30-61

(U) ~~C~~

18-cv-01868-9046

~~CONFIDENTIAL~~

ADELPHI HALL

IMS CONFIDENTIAL

NEW YORK

CLASSIFIED BY: SP7MAC/ste 9/9/83

NY 2916-S\*

NYlet 12-5-61. NY 2916-S\* activated 2:15 pm;  
12-4-61 in Rm 10E, Adelphi Hall to cover a meeting  
of "CP, USA, NY District, NY Division, Industrial  
Division". NY 2916-S\* discontinued 8:15 pm;  
12-4-61. Rm 11H, Adelphi Hall used for monitoring

NYlet 1-9-62. NY 2916-S\* activated at 2:50 ; pm  
1-8-62, Rm 10E, Adelphi Hall, to cover a meeting  
of "CP, USA, NY District, New York Division,  
Industrial Division". NY 2916-S\* was discontinued  
7 pm; 1-8-62, & full security maintained. Rm 9G  
Adelphi Hall used for monitoring. 18-cv-01868-9047

NYlet 1-10-62. The permanent microphone in  
room 10E and the attendant wiring was removed on  
1-9-62.

DECLASSIFICATION AUTHORITY DERIVED FROM:

FBI AUTOMATIC DECLASSIFICATION SCHEDULE

DATE 10-29-2020

BY

CONFIDENTIAL

b6 -1

b7C -1

ADELPHI HALL

IMS

~~CONFIDENTIAL~~ NEW YORK

NYlet ~~12-14-59~~. At 2 pm; 12-8-59, NY 2759-S\* was installed in Rm 11D, Adelphi Hall, to cover a meeting of "National Committee, CP USA." At 12 noon 12-14-59, this installation was removed and discontinued. Monitoring was effected in Rm 10E.

NYlet 12-17-59. NY 2776-S\* activated 12-16-59; 1:10 pm in Rm 8-K, Adelphi Hall, to cover meeting of "Industrial Council of CP USA, NY Division, Industrial Division." NY 2776-S\* was discontinued at 10:15 am; 12-17-59 and permanent wiring conditions remain the same. 18-cv-01868-9048

NYlet 1-15-60. NY 2790-S\* was activated 12:30 pm 1-13-60 in Rm 9-E, Adelphi Hall to cover meeting of the "Executive Board of CP, USA, NY District, NY Division, Industrial Division". NY 2790-S\* was

~~CONFIDENTIAL~~

discontinued 12:30; pm; 1-14-60 and full security was maintained.

NYlet 1-27-60. At 12:30 pm; 1-22-60, a mike was installed in Rm 11D at Adelphi Hall to cover a meeting of "CP, USA, New York District Committee". Monitoring was handled from plant located in Rm 10G. At 12:30 pm; 1-25-60, installation was removed including all evidence thereof. Symbol # NY 2802-S\* was assigned.

NYlet. 2-8-60 At 1:00pm on 2-5-60 a mike was installed in Room 9E at Adelphi Hall, 74 Fifth Ave. NYC Room was reserved by EILLIAM ALBERTSON, Organizational Secretary, NYS CP--- Meeting was concerned with charges against a CP youth mbr. and was conducted in a fashion similar to a Review Commission.

~~CONFIDENTIAL~~

NYlet, 2-8-60 -----continued

Monitoring was handled from a plant located in Rm 10E, Adelphi Hall. At 11:15 am 2-8-60 the installations was removed including all evidence thereof Symbol # 2815-S\* was assigned. Full security has been maintained. (U)

NYlet. 2-11-60 NY-2817-S\* was activated in accordance with FD 143 dated 12-14-59, at 3:30 pm on 2-10-60 in Rm 11-H, Adelphi Hall, 74 Fifth Ave., NYC, covering a meeting of the Industrial Council of captioned organization. NY-2817-S\* was disc. at 11:05 am. 2-11-60 and full security was maintained. 18-cv-01868-9050

~~NYlet. 2-17-60 NY-2824-S\* was activated 12/14/59 at 2:00 p.m.~~

~~CONFIDENTIAL~~



NYlet. 2-17-60 NY-2824-S\* was activated at 2:00 pm on 2/16/60 in Room 10-F, Adelphi Hall, covering a meeting of the Painters Rank and File, Building Trades Region. NY-2824-S\* was disc. at 9:00 pm, 2-16-60, and full sec. was maintained.

---

NYlet. 2-18-60 NY-2825-S\* was activated at 2:00 pm on 2-17-60 in Room 8-A, Adelphi Hall, covering a meeting of the Painters Rank and File, a section of the Building Trades Region of the CP USA, NY DISTRICT, INDUSTRIAL DIV. (U)

18-cv-01868-9051